



PATENT  
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent Application of: ) Group Art Unit: 2872  
)  
Kenneth J. MYERS ) Examiner: L. Fineman  
)  
Serial Number: 09/538,731 ) Attorney Docket: MYKE003  
)  
Filed: March 30, 2000 ) Confirmation No.: 8860

For: Split Image Stereoscopic System And Method

AMENDMENT AND RESPONSE

Honorable Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Sir:

This paper is in response to the Official Action dated December 3, 2002.

A Notice of Appeal was submitted on June 3, 2003, together with a petition for a three-month extension of time and the appropriate fees. In addition, a petition for a one-month extension of time together with the appropriate fees accompanies this response so that it is timely filed.

The Notice of Appeal is proper since the application has been rejected three times. In addition, the Official Action was designated "final" on page 2 of the Official Action (although not in the body of the Official Action and not recorded as such on the PALM system, as discussed below).

Reconsideration of the application is respectfully requested based on the following amendments and remarks.

22/10/03  
S. Range

9-26-03  
appears for (submitted 2/03)  
entry  
11/28/03  
PB  
RECEIVED  
SEP-9 2003  
TECHNOLOGY CENTER 2800